

Coastal Wetlands

(A good portion of this bibliography was provided by Ron Rozsa, Office of Long Island Sound Programs)

Abouchar, J. 1998. Bay of Fundy Estuaries: A review of legal and policy tools for estuary restoration and protection. Report #2 Gulf of Maine Estuaries Restoration Projects. Conservation Council of New Brunswick, 180 Saint John Street, Fredericton, New Brunswick E3B 4A9.

Adamus, P.R., E.J. Clairain, Jr., R.O. Smith, and R.E. Young. 1987. Wetland Evaluation Technique (WET); Volume II: Methodology. Operational draft technical report FHWA-IP-88-029. US Army Engineer Waterways Experiment Station. Vicksburg, MI. 279 pp.

Anderson, R., and M. Rockel. 1991. Economic Valuation of Wetlands. American Petroleum Institute, Washington, DC.

Anisfeld, S.C. and G. Benoit. 1997. Impacts of flow restrictions on salt marshes: An instance of acidification. Environmental Science and Technology.

Barrett, N.E., and W.A. Niering. 1993. Tidal Marsh restoration: Trends in vegetation change using a geographical information system (GIS). Restoration Ecology 1(1):18-28.

Barrett, N.E., 1989. Vegetation of the tidal wetlands of the lower Connecticut River: Ecological relationships of plant community-types with respect to flooding and habitat. MS Thesis, University of Connecticut, Storrs, CT. 210 pp.

Barrett, N.E. and W.A. Niering. 1993. Tidal marsh restoration: Trends in vegetation change using a geographical information system (GIS). Restoration Ecology. March: 18-28.

Beatty, L.L., Nowicki, and A.A. Keller. 1991. Development of a protocol for the Inventory and long-term monitoring of submerged marine-estuarine resources at Cape Cod National Seashore. Technical Report submitted to the National Park Service, Coastal Research Center, University of Rhode Island.

Bedford, B.L., and E.M. Preston. 1988. Developing the scientific basis for assessing cumulative effects of wetland loss and degradation on landscape functions: Status, perspectives, and prospects. Environmental Management, 12(5):751-771.

Benoit, L.K. 1997. Impacts of the spread of *Phragmites* on populations of tidal marsh birds in Connecticut. MA Thesis, Connecticut College, New London, CT 56p (in final preparation).

Bertness, M.D. 1992. The ecology of a New England salt marsh. American Scientist 80:260-268.

Bertness, M.D. 1984. Ribbed mussels and *Spartina alterniflora* production in a New England salt marsh. Ecology 65:1794-1807.

Bertness, M.D. 1985. Fiddler crab regulation of *Spartina alterniflora* production on a New England salt marsh. Ecology 66:1042-1055

Bertness, M. and A. Ellison. 1987. Determinants of pattern in a New England salt marsh plant community. *Ecological Monographs* 57: 129-147.

Besitka, Sister M. A. R. 1996. An ecological and historical study of *Phragmites australis* along the Atlantic Coast. MS Thesis. Drexel University. Philadelphia, PA. 52 p.

Bongiorno, S., J.R. Trautman, T.J. Steinke, S. Kawa-Raymond and D. Warner. 1984. A study of restoration in Pine Creek Salt Marsh Fairfield, CT. Proc. 11th Annual Conference on Wetlands Restoration and Creation, F.J. Webb, Editor. Hillsborough Community College, Tampa, Florida.

Bowen, M., and M.Small. 1992. Identification and evaluation of coastal habitat evaluation methodologies. Technical Report EL-92-21. Prepared by Normandeau Associates for U.S. Army Engineer Waterways Experiment Station, Vicksburg, Mississippi.

Brawley, H. 1995. Birds of Connecticut's tidal wetlands: Relative patterns of use to environmental conditions. MA Thesis, Connecticut College, New London, CT, 87 p.

Brinson, M.M. (1993). A hydrogeomorphic classification for wetlands - technical report WRP-DE-4, US Army Engineer Waterways Experiment Station, Vicksburg, MS.

Brinson, M.M. 1988. Strategies for assessing the cumulative effects of wetland alteration on water quality. *Environmental Management*, 12(5):655-662.

Britton, W.E., B.H. Walden and P.L. Buttrick. 1915. Changes in the vegetation of salt marshes resulting from ditching. *CT Agric. Expt. Stat. Rpt for 1915*, p. 172-179.

Brooks, R.P., E.D. Bellis, C.S. Keener, M.J. Croonquist, and D.E. Arnold. 1991. A methodology for biological monitoring of cumulative impacts on wetland, stream, and riparian components of watersheds, p. 387-398. In J.A. Kusler and S. Daly (Eds.), *Proceedings of the International Symposium: Wetlands and River Corridor Management*. Association of State Wetland Managers, Berne, NY.

Broome, S.W., E.D. Seneca and W.W. Woodhouse, Jr. 1986. Long-term growth and development of transplants of the salt-marsh grass *Spartina alterniflora*. *Estuaries* 9:63-74.

Broome, S.W., E.D. Seneca and W.W. Woodhouse, Jr. 1988. Tidal Marsh restoration. *Aquat. Bot.* 32:1-22.

Brown, M.T. 1991. Evaluating Constructed Wetlands through comparisons with natural wetlands. EPA/600/3-91/058. U.S. Environmental Protection Agency, Environmental Research laboratory, Corvallis, OR.

Bryan, R.R., M. Dionne, R.A. Cook, J. Jones, and A. Goodspeed. 1997. *Maine Citizens Guide to Evaluating, Restoring, and Managing Tidal Marshes*. Maine Audubon Society. Falmouth, Maine. 87 pp.

Buchsbaum, R. 1997. Return of the Native or What? Saving salt marsh may be a question of eliminating one species of grass. *Massachusetts Audubon Society. Sanctuary*. Vol 36. No. 3. pp. 12-15.

- Buck, E.L. 1995. Selected environmental factors and the spread of *Phragmites australis* (common reed) in the tidelands of the lower Connecticut River. Honors Thesis, Department of Botany, Connecticut College, New London, CT, 67 p.
- Burdick, D.M. 1996. Assessing salt marsh restoration projects. Unpublished document. Jackson Estuarine Laboratory, Durham, New Hampshire. 3 pp.
- Burdick, D.M. and F.T. Short. 1995. The effects of boat docks on eelgrass beds in Massachusetts coastal waters. Final Report, Massachusetts Coastal Zone Management, Boston, Massachusetts. 32 pp.
- Burdick, D.M., M. Dionne, R.M. Boumans, and F.T. Short. 1997. Ecological responses to tidal restorations of two northern New England salt marshes. *Wetlands Ecology and Management*. Vol. 4 no. 2 pp 129-144.
- Capotosto, P. 1994. Restoration of a dredge disposal site in Mumford Cove, Groton, Connecticut. In *Waterfowl habitat, restoration, enhancement and management in the Atlantic Flyway*. Atlantic Waterfowl Council, 3rd edition, Delaware.
- Coleman, W. B. 1978. Vegetation of the Wequetequock-Pawcatuck marshes Stonington, Connecticut - A comparative study 1948 and 1976. MA Thesis, Connecticut College, New London, CT, 130 p.
- Cook, R.A., A.J. Lindley Stone, A.P. Ammann. 1993. Method for the evaluation and inventory of vegetated tidal marshes in New Hampshire (coastal method). Audubon Society of New Hampshire. Concord, NH.
- Cowardin, L.M., V. Carter, F.C. Golet, and E.T. LaRoe. 1979. Classification of Wetlands and Deepwater Habitats of the United States. U.S. Fish and Wildlife Service. Washington, DC. FWS/OBS-79/31.
- Crabtree, A., E. Day, A. Garlo, and G. Stevens. 1990. Evaluation of wetland mitigation measures, final report: Volume 1. U.S. Department of Transportation, Federal Highway Administration Report Number FHWA-RD-90-083. Washington, DC.
- Dahl, T.E. 1990. Wetland Losses in the United States: 1780's to 1980's. U.S. Department of the Interior, Fish and Wildlife Service. Washington, D.C.
- Daiber, F.C. 1986. Conservation of tidal marshes. Van Nostrand Reinhold, New York. 341 p.
- Dent, D. 1986. Acid sulfate soils: a baseline for research and development. ILRI. Wageningen, The Netherlands. 200p.
- Desbonnet, A. et al. 1994. *Vegetated Buffers in the Coastal Zone: A Summary Review and Bibliography*. Kingston, RI: Coastal Resources Center. ISBN 0-938 412-37-x.
- Dreyer, G.D. and W.A. Niering. 1995. Tidal Marshes of Long Island Sound: Ecology, history, and restoration. Connecticut College Arboretum Bulletin No. 34. 1995. Published by the Connecticut College Arboretum, Connecticut College, New London, Connecticut.

- Fell, P.E. and J.J. Williams. 1985. Distribution of the snail, *Melampus bidentatus*, and the mussel, *Geukensia demissa*, along the Pataguanset Estuary (Connecticut) in relation to salinity and other tidal marsh invertebrates. *Nautilus* 99:21-28.
- Fell, P.E., K.A. Murphy, M.A. Peck and M.L. Recchia. 1991. Re-establishment of *Melampus bidentatus* (Say) and other macroinvertebrates on a restored impounded tidal marsh: comparison of populations above and below the impoundment dike. *J. Exp. Mar. Biol. Ecol.* 152:33-48.
- Fell, P.E., N.C. Olmsted, E. Carlson, W. Jacob, D. Hitchcock and G. Silver. 1982. Distribution and abundance of macroinvertebrates on certain Connecticut tidal marshes, with emphasis on dominant molluscs. *Estuaries* 5:234-239.
- Fell, P.F., S.P. Weissback, D.A. Jones, M.A. Fallon, J.A. Zipperi, E.K. Faison, K.A. Lennon, K.J. Newberry and L.K. Reddington. 1998. Does invasion of oligohaline marshes by reed grass, *Phragmites australis*, affect the availability of prey resources for the mummichog, *Fundulus heteroclitus*? *J. Exp. Mar. Biol. Ecol.* (In Press).
- Fell, P.F., S.P. Weissbach, B. Zuckerman and S.P. Fell. 1996. Macroinvertebrates in *Phragmites* - dominated and *Phragmites* - free marsh regions at Chapman Pond and utilization by fish of tidal creeks situated along the salinity gradient of the lower Connecticut River system. Unpublished manuscript. Connecticut College, New London, CT., 17p.
- Fertik, R.A. 1995. Distribution of dominant angiosperms on the tidelands of the lower Connecticut River estuary in relation to salinity and hydroperiod. Independent Study, Department of Botany, Connecticut College, New London, CT, 17p.
- Field, D.W., Reyer, A.J., Genovese, P.V. and Shearer, B.D. 1991. Coastal wetlands of the United States. National Oceanic and Atmospheric Administration, Washington, D.C.
- Fleisher, S. L. Stibe, and L. Leonardson. 1991. Restoration of wetlands as a means of reducing nitrogen transport to coastal waters. *Ambio: A journal of the human environment.* 20(6):271-272.
- Garbish, E.W. 1989. Information needs in the planning process for wetland creation and restoration. In: *Wetland Creation and Restoration: The Status of the Science. Vol. I. Regional Reviews.* EPA 600/3-89/038a. J.A. Kusler and M.E. Kentula, eds. Corvallis, OR: EPA Environmental Research Laboratory.
- Gilliam, J.W. 1994. Riparian wetlands and water quality. *Journal of Environmental Quality.* 23 (5):896.
- Gross, A.C. 1966. Vegetation of the Brucker Marsh and the Barn Island Natural Area, Stonington, Connecticut. MA. Thesis, Connecticut College, 103 p. [Preceded the construction of a wildlife impoundment.]
- Harrison, E.Z and A.L. Bloom. 1977. Sedimentation rates on tidal salt marshes in Connecticut. *J. Sed. Petr.* 47:1484-1490.
- Harvey, T.H., and M.N. Josselyn. 1986. Wetlands restoration and mitigation policies. *Environ.*

Manage. 10(5): 567-569.

Hebard, G. 1976. Vegetation patterns and changes in the impounded salt marshes of the Barn Island Wildlife Mangement Area. MA Thesis, Connecticut College, New London, CT 193 p.

Lefor, M.W., W.C. Kennard and D.L. Civco. 1987. Relationship of salt-marsh plant distributions to tidal levels in Connecticut, USA. Environ. Mgmt. 11:61-68.

Hemmond, H.F. and J. Benoit. 1988. Cumulative impacts on water quality functions of wetlands. Environmental Management 12(5): 6639-653.

Hill, D.E. 1982. Soils in tidal marshes on the northeast. Soil Sci. 133:298-304.

Hogan, Jennifer M. 1998. Long-term effectiveness of salt marsh restoration and creation in Massachusetts. Unpublished Masters Thesis. Northeastern University. Boston, Massachusetts. 150 p.

Howell, G., D. Wilson, M. Sherran, and J.A. Burnett. 1991. Upper Bay of Fundy Dikelands: Chranqing the Tides. In The State of Canada's Environment, Minister of Supply and Services Canada, Cat. No. EN21-54/1991E.

Howes, BL. and JM Teal. 1995. Nutrient balance of a Massachusetts cranberry bog and relationships to coastal eutrophication. Environmental Science and Technology. 29(4).

Hruby, T., and W.G. Montgomery. 1988. Open Marsh Water Management for open tidal marshes in the northeast: A Manual of Methods. Massachusetts Audubon Society, Gloucester, Massachusetts.

Hruby, T., and W.G. Montgomery. No date. The Mosquito, the Salt Marsh, and You; Controlling mosquitoes on Essex County salt marshes. Resources for Cape Ann. Massachusetts Audubon Society, Gloucester, Massachusetts.

Jerome, L.E. 1979. Marsh Restoration: Economic rewards of a healthy salt marsh. Oceans. Jan 1979.

Kent, D. M., editor. 1994. Applied Wetlands Science and Technology. Boca Raton, FL: Lewis Publishers.

Kentula, M.E., R.P. Brooks, S.W. Gwin, C.C. Holland, A.D. Sherman and J.C. Sifnos. 1993. An Approach to Improving Decision Making in Wetland Restoration and Creation. Edited by A.J. Hairston. U.S. Environmental Protection Agency, Environmental Research Laboratory, Corvallis, OR.

King and Associates, Inc. 1996. The benefits and costs of restoring Massachusetts wetlands. Technical Report prepared for The Massachusetts Bays Program. Boston, Massachusetts. 02202. 71 p.

King, D.M. 1991. Economics: Costing out restoration. Restoration and Management Notes 9(1):15-20.

Knight, RL. 1993. Ancillary benefits and potential problems with the use of wetlands for

nonpoint source pollution control. In *Created and Natural Wetlands for Controlling Nonpoint Source Pollution*. Boca Raton, FL: CK Smoley Inc. for US EPA, Office of Research and Development and Office of Wetlands, Oceans, and Watersheds.

Knobel, E. 1980. *Field Guide to the Grasses, Sedges, and rushes of the United States*. New York, NY: Dover Publications, Inc.

Kurland, J.M. 1991. *Habitat Mitigation Efforts in the Gulf of Maine: Stemming the Tide of Environmental Degradation*. Report submitted to the Gulf of Maine Council on the Marine Environment. 66p.

Kusler, J.A. and M.E. Kentula (eds.). 1989. *Wetland creation and restoration: the status of the science*. U.S. Environmental Protection Agency, Environmental Research Lab., Corvallis, EPA 600/3-89/038A. 473p.

Kusler, J.A., C. Corbin, C. Harwood, and R.B. Newton. *Our National Wetland Heritage: A protection guidebook*. Timothy R. Henderson Publisher.

Lewis, R.R. (Ed.). 1982. *Creation and Restoration of Coastal Plant Communities*. CRC Press, Boca Raton, Florida. 219 p.

Linneli, S. 1994. *A survey of Impounded Salt Marshes in Southern Maine*. Unpublished Masters Project. Antioch New England Graduate School. Antioch University.

Louis Berger & Associates, Inc. 1997. *Costs for wetland creation and restoration projects in the glaciated Northeast*. Prepared for the U.S. Environmental Protection Agency, Region I. EPA Contract No. 68-D5-0171. 56 pp.

Luckenbach, M.W., R.J. Diaz, E.C. Zobrist, and C.H. Hutton. 1990 *Evaluation of the benthic resource value of impounded and nonimpounded tidal creeks in Virginia, USA*. *Ocean and Shoreline Management*. 14:35-50.

Maine State Planning Office (MSPO). 1988. *Maine Wetlands Conservation Priority Plan*. Maine State Planning Office. Augusta, Maine. 91 p.

Maine Department of Environmental Protection (MDEP). 1998. *Freshwater wetlands permitting under the Natural Resources Protection Act: A program review*. Final report presented to the Maine Legislature's Joint Standing Committee on Natural Resources.

Mathews, G.A., and Minello, T.J. 1994. *Technology and success in restoration, creation, and enhancement of *Spartina alterniflora* marshes in the United States*. Vol. 1. Decision Analysis Series No. 2. NOAA Coastal Ocean Program, Coastal Ocean Office, Silver Spring, MD 20910.

Meiorin, E.C. 1989. *Urban runoff treatment in a fresh/brackish water marsh in Fremont, CA*. In *Constructed Wetlands for Wastewater Treatment: Municipal, Industrial, and Agricultural*. Chelsea, MI: Lewis Publishers, Inc.

Metzler, K. and R. Rozsa. 1982. *Vegetation of fresh and brackish tidal marshes in Connecticut*. *Newsl. CT Bot. Soc.* 10:1-3.

- Miller, W., and F.E. Egler. 1950. Vegetation of the Wequetequock-Pawcatuck tidal marshes, Stonington, Connecticut. *Ecological Monographs* 20:143-172.
- Milone & MacBroom Engineering, 1997. Sybil Creek salt marsh restoration Branford, Connecticut - final design report. Engineering Report prepared for the CT Dept. Environ. Prot. Hartford, CT.(in progress)
- Mitsch, W.J. 1992. Landscape design and the role of created, restored, and natural riparian wetlands in controlling nonpoint source pollution. *Ecological Engineering*. 1(1992):27-47.
- Mitsch, W.J. and J.G. Gosselink. 1993. *Wetlands*, 2nd edition. Van Nostrand Reinhold Co. Inc., New York, N.Y.
- Moore, D.R.J., and P.A. Keddy. 1989. The relationship between species richness and standing crop in wetlands: The importance of scale. *Vegetatio* 79: 99-106.
- National Research Council (U.S.). 1991. *Restoration of Aquatic Ecosystems: Science, Technology, and Public Policy*. Washington, DC: National Academy of Sciences/National Academy Press.
- Nichols, G.E. 1920. The vegetation of Connecticut. VII. The associations of depositing areas along the seacoast. *Torrey Bot. Club. Bull.* 47:511-548.
- Niering, W.A. and R.S. Warren. 1980 . Vegetation patterns and processes in New England salt marshes. *BioScience*. 30(5): 301-307.
- Niering, W.A. 1987. Vegetation dynamics (succession and climax) in relation to plant community management. *Conservation Biology* 1(4): 287-295.
- Nixon, SW. 1986. *Wetlands and Water Quality: a Regional Review of Recent Research in the United States on the Role of Freshwater and Saltwater Wetlands as Sources, Sinks, and Transformers of Nitrogen, Phosphorous, and Various Heavy Metals*. Vicksburg, MI: US Army Corps of Engineers, Waterways Experiment Station. #Y-86-2.
- Normandeau Associates, Inc. 1992. A manual for monitoring mitigation and restoration projects on New Hampshire's salt marshes. Prepared for Office of State Planning, NH Coastal Program, Concord, New Hampshire.
- Nydick, K.R., A.B. Bidwell, E. Thomas, and J.C. Varekamp. 1995. A sea-level rise curve from Guilford, Connecticut, USA. *Marine Geology* 124:137-159.
- O'brien, A.L. 1988. Evaluating the cumulative effects of alteration on New England wetlands. *Environ. Manage.* Vol. 12, no.5.
- Office of Long Island Sound Programs (OLISP). 1994. *Restoration of Degraded Tidal Wetlands*. Office of Long Island Sound Programs, State of Connecticut Dept. Of Environmental Protection, Hartford, Connecticut. 20 pp.
- Orson, R.A., R.S. Warren and W.A. Niering. 1987. Development of a tidal marsh in a New England River Valley. *Estuaries* 10(1):20-27.

- Orson, R.A. 1982. Development of the lower Pataguanset estuarine tidal marshes, Niantic, Connecticut. MA Thesis, Connecticut College, New London, CT 43 p.
- Pacific Estuarine Research Laboratory. 1990. A manual for assessing restored and natural coastal wetlands with examples from southern California. Calif Sea Grant Report No.T-CSGCP-021. 105p. La Jolla, California.
- Parker River Clean Water Association. 1996. Tidal Crossings Inventory and Assessment. Parker River Clean Water Association. Byfield, Massachusetts.
- Peck, M.A., P.E. Fell, E.A. Allen, J.A., Gieg, C.R. Guthke, M.D. Newkirk. 1994. Evaluation of tidal marsh restoration: comparisons of selected macroinvertebrate populations on a restored impounded valley marsh and an unimpounded valley marsh within the same salt marsh system in Connecticut, USA. *Environmental Management*. 8:141-150.
- Pollard, J.B. 1996. Impact of Atlantic Dykeland Wetland Restoration on Regional Waterfowl populations. Belleisle marsh development assessment. Institute for Wetland and Waterfowl Research. Stonewall, New Brunswick.
- Portnoy, J.W. 1991. Summer oxygen depletion in a diked New England estuary. *Estuaries*: 14: 122-129.
- Portnoy, J.W. 1995. Effects of diking, drainage and seawater restoration on salt marsh biogeochemical cycling. Dept. of the Interior, National Park Service, New England System Support Office, Tech. Rpt NPS/NESO-RNR/NRTR/96-04.
- Preston, E.M., and B.L. Bedford. 1988. Evaluating cumulative effects on wetland functions: A conceptual overview and generic framework. *Environ. Manage.* Vol. 12 no. 5.
- Preston, E.M., and B.L. Bedford. 1988. Developing the scientific basis for assessing cumulative effects on wetland loss and degradation on landscape functions: status, perspectives, and prospects. *Environ. Manage.* Vol. 12 no. 5.
- Race, M.S. and D.R. Christie. 1982. Coastal Zone Development: Mitigation, Marsh creation and decision-making. *Environmental Management*, Vol. 6, No. 4: 317-328.
- Race, M.A. 1985. Critique of present wetlands mitigation policies in the United States based on an analysis of past restoration projects in San Francisco Bay. *Environ. Manage.* 9(1):71-82.
- Redfield, A.C. 1972. Development of a New England salt marsh. *Ecological Monographs*, 42(2):201-237.
- Reimold, R.J., and S.A. Cobler. 1986. Wetlands mitigation effectiveness. Contract 68-04-0015. U.S. Environmental Protection Agency, Region I, Boston, Massachusetts. 75p.
- Reinelt, L.A. and R.R. Horner. 1991. Urban Stormwater Impacts on the Hydrology and Water Quality of Palustrine Wetland in the Puget Sound Region. Puget Sound Water Quality Authority, Olympia WA.
- Reiner, E.L. 1991. Salt marsh restoration in Massachusetts: Review of past projects and

recommendations. Boston. 1991.

Reiner, E.L. 1989. The biological and regulatory aspects of salt marsh protection, restoration and creation in Massachusetts. Unpublished Masters Thesis. Northeastern University. Boston, Massachusetts. 674 p.

Richardson, C.J. 1994. Ecological functions and human values in wetlands: A framework for assessing forestry impacts. *Wetlands*. 14(1). 1-9pp.

Rilling, G.C., P.E. Fell, and R.S. Warren. 1998. Fish use of brackish high marsh areas in the lower Connecticut River: a comparison of a *Phragmites australis*-dominated vs. a restored marsh. Report prepared for the CT Dept. Environ. Prot. Hartford, CT.

Roman, C.T. 1978. Tidal restriction: its impact on the vegetation of six Connecticut coastal marshes. M.A. Thesis, Connecticut College, New London, CT 178 pp.

Roman, C.T., R.W. Garvine and J.W. Portnoy. 1995. Hydrologic modeling as a predictive basis for ecological restoration of salt marshes. *Environmental Management*. 19: 559-566.

Roman, C.T., W.A. Niering and R.S. Warren. 1984. Salt marsh vegetation change in response to tidal restriction. *Environ. Mgmt.* 8:141-150.

Rozsa, R. 1987. An overview of wetland restoration projects in Connecticut. Proc. IVth Conn. Inst. Water Res. Wetland Conf. p.1-11.

Rozsa, R. and R.A. Orson. 1993. Restoration of degraded salt marshes in Connecticut. Proc. 20th Annual Conf. on Wetlands Restoration and Creation, Hillsborough Community College, Inst. Florida Studies, Plant City, FL, p.196-205

Rozsa, R. 1994. Restoration of water quality renovation functions and elimination of nonpoint source pollution through restoration of drained salt marshes. Coastal Nonpoint Source Workshop-Building Partnerships, Tampa FL, p. 3- 6.

Sacco, J.N., F.L. Booker and E.D. Seneca. 1988. Comparison of the macrofaunal communities of a human-initiated salt marsh of two and fifteen years of age. P. 282-285. In J. Zelazny and J.S. Feierabend (eds.), *Increasing our wetland resources*. Nation Wildlife Federation, Washington, DC.

Scatolini, S.R. and Zedler, J.B. 1996. Epibenthic invertebrates of natural and constructed marshes of San Diego Bay. *Wetlands*. Vol. 16, No. 1, pp. 24-37.

Sinicrope, T.L., P.G. Hine, R.S. Warren and W.A. Niering. 1990. Restoration of an impounded salt marsh in New England. *Estuaries* 13: 25-30.

Shipley, B., P.A. Keddy, D.R.J. Moore, and K. Lemky. 1989. Regeneration and establishment strategies of emergent macrophytes. *Journal of Ecology*: 77: 1093-1110.

Shisler, J.K. and D.J. Charette. 1984. Evaluation of artificial salt marshes in New Jersey. Mosquito Research and Control Publication No. P-40502-01-84. New Brunswick, New Jersey 08903.

Short, F.T. ed. 1992. The ecology of the Great Bay estuary, New Hampshire and Maine: An Estuarine profile and bibliography. NOAA, Washington, DC.

Sinicrope, T.L., P.G. Hine, R.S. Warren, and W.A. Niering, 1990. Restoration of an impounded salt marsh in New England. *Estuaries* 13:25-30.

Simenstad, C.A., C.D. Tanner, R.M. Thom and L. Conquest. 1991. Estuarine habitat assessment protocol. Report to U.S. Environmental Protection Agency, Region 10, Fish. Res. Inst., University of Washington, Seattle, Washington, EPA 910/9-91-037. 201p.

*Requests can be sent to Puget Sound Program, USEPA, Region 10, 1200 6th Ave., Seattle, WA 98101.

Smart, R.M. and J.W. Barko. 1978. Influence of sediment salinity and nutrients on the physiological ecology of selected salt marsh plants. *Estuarine and Coastal Marine Science*: 7: 487-495.

Smith T., and M. Huston. 1989. A theory of the spatial and temporal dynamics of plant communities. *Vegetation* 83: 49-69.

Steever, E.Z. 1972. Productivity and vegetation studies of a tidal salt marsh in Stonington, Connecticut: Cottrell Marsh. MA Thesis, Connecticut College, New London, CT 73 p.

Warren, R.S. 1993. *Phragmites australis* on the tidelands of the lower Connecticut River: patterns of invasion and spread. Rpt. to The Nature Conservancy, Connecticut Chapter, Conservation Biology Research Program, Middletown, CT.

Warren, R.S. and W.A. Niering. 1989. Vegetation change on a Northeast tidal marsh: interaction of sea-level rise and marsh accretion. *Ecology* 74:96-103.

Warren, R.S. and W.A. Niering, 1993. Vegetation change on a northeast tidal marsh: Interaction of sea-level rise and marsh accretion. *Ecology* 74(1):96-103.

Warren, R.S. and P.E. Fell. 1996. *Phragmites australis* on the lower Connecticut River: Impacts on emergent wetlands and estuarine waters. Long Island Sound Research Fund Report #CWF 318R to CT Dept. Environ. Prot. Hartford, CT. [Summary/overview to five attached manuscripts including Buck, 1995; Fell et al., 1996; Fell et al., 1996; Fertik, 1995 and Warren 1993. US Army Corps of Engineers. 1994. Connecticut wetlands restoration investigation. New England Division, Sect. 22/Coastal America Report. 123 p. and appendices.

Wetland Restoration & Banking Program (MWRBP). 1997. Neponset River Watershed Wetlands Restoration Plan; Preliminary Report. Massachusetts Wetland Restoration & Banking Program. Executive Office of Environmental Affairs. Boston, Massachusetts.

Whigham, D.F., C. Chitterling, and B. Palmer. 1988. Impacts of freshwater wetlands on water quality: a landscape perspective. *Environmental Management* 12(5): 663:675.

Whitman, W.R., T.S. Strange, L. Widjeskog, R. Whittemore, P. Kehoe, and L. Roberts. 1995. Waterfowl Habitat Restoration Enhancement and Management in the Atlantic Flyway, Third ed. Environmental Management Committee, Atlantic Flyway Council, Technical Section, and

Delaware Division of Fish and Wildlife, P.O. Box 1401, Dover, Delaware. 1114 pp.

Wolf, R.B., L.C. Lee, and R.R. Sharitz. 1986. Wetland creation and restoration in the United States from 1970 to 1985: an annotated bibliography. *Wetlands* 6(1):1-88.

Woodhouse, W.W., Jr., E.D. Seneca, and S.W. Broome. 1974. Propagation of *Spartina alterniflora* for substrata stabilization and salt marsh development. U.S. Army Corps of Engineers, Coastal Engineering Research Center Technical Memorandum No. 46. Ft. Belvoir, VA: C.E.R.C.

Taylor, B.L. 1993. The Influence of Wetland and Watershed Morphological Characteristics on Wetland Hydrology and Relationships to Wetland Vegetation Communities. MS Thesis. Department of Civil Engineering, University of Washington, Seattle WA.

Tiner, R.W. 1997. Keys to Landscape Position and Landform Descriptors for U.S. Wetlands. *Operational Draft*. U.S. Fish and Wildlife Service. National Wetlands Inventory Project. Hadley, MA. USFWS Northeast Region.

Tiner, R.W. 1987. Coastal Wetland Plants of the Northeastern United States. Amherst, MA: The University of Massachusetts Press.

U.S. Army Corps of Engineers (USACE). 1995. Massachusetts Wetlands Restoration Study: Site identification and evaluation report. Prepared by New England Division. USACE. Concord, Massachusetts.

U.S. Army Corps of Engineers (USACE). 1995. The Highway Methodology Workbook Supplement; Wetland Functions and Values, A Descriptive Approach. New England Division, Concord, MA. NEDEP-360-1-30a.

U.S. Army Corps of Engineers (USACE). 1996. Cape Cod Wetlands Investigation. Prepared by New England Division, USACE. Waltham, MA. U.S. Fish and Wildlife Service. 1980. Habitat evaluation procedures. ESM 102. Washington, DC: Division of Ecological Services.

U.S. Dept. Of Agriculture. Soil Conservation Service (USACE). 1994. Evaluation of Restorable Salt Marshes in New Hampshire. USDA Soil Conservation service (Now referred to as the Natural Resources Conservation Service) Durham, New Hampshire. 32 pp.

U.S. Environmental Protection Agency. 1988. America's Wetlands: Our Vital Link Between Land and Water. Office of Waters Oceans and Wetlands. (OPA 87-016).

U.S. Fish and Wildlife Service. 1980. Habitat Evaluation Procedures. ESM 102. U.S. Department of the Interior, Fish and Wildlife Service, Division of Ecological Services, Washington, DC.

Vadas, R.L., P.E. Garwood, and D.J. Healy. 1985. Ecological evaluation of an artificially created salt marsh at Harrington, Maine. Technical Report No. 85-5. Maine Dept. of Transportation, Materials and Research Division. 137 p.

Van der Valk, AG. 1981. Succession in wetlands: A Gleasonian approach. *Ecology* 62(3): 688-696.

Valiela, I., J.M. Teal, and N.Y. Person. 1976. Production and dynamics of experimentally enriched salt marsh vegetation: Below ground biomass. *Limnol. Oceanogr.* 21:245-252.

Verner, S.S. 1990. Handbook for preparing quality assurance project plans for environmental measurements. Technical Resources, Inc., Rockville, MD.

Zedler, J.B. 1995. Salt Marsh Restoration: Lessons from California. In J. Cairns Jr. (eds.) CRC Press, Inc. Boca Raton, Florida 425p.

Zedler, J.B. and R. Langis. 1991. Comparisons of constructed and natural salt marshes of San Diego Bay. *Restoration and Management Notes* 9(1):21-25.

Zedler, J.B. 1996. Tidal Wetland Restoration: A Scientific Perspective and Southern California Focus. Published by the California Sea Grant College System, University of California, La Jolla, California. Report No. T-038.